

Elements of Lifestyle
Appetite

Carb



Veggies/Fruit



Sweet



Salt



Oil



Junk food


Lifestyle

Sleep



Exercise



Lifestyle



Meditation


Substance

Smoking



Tobacco



Alcohol



Other Abuse


Body Mass Index


Ugh! You are underweight. Your BMI score 16.34 is very less than the target range 21-24.9.


Hip Waist Ratio


Oops! Your HW ratio is higher than normal! Your current HW ratio is 1.00 it should be below 1.0 and waist size to 28 inches
 Congratulations! You are normal. Your HW ratio is 0.78


Weight


Ugh! You are underweight. Your current weight 17 kgs is less than the target range 21-26 Kgs



Disease Specific Risks1

High Risks

Breast Cancer

Moderate Risk

Osteoporosis

Cervical Cancer

Guidelines

Educate yourself and your loved ones about - what is physical as well as mental good health and how to achieve it.

Stay tuned to your body and recognize itâ€™s needs - have adequate and timely rest and sleep, exercise regularly, follow a good diet, drink plenty of water and practice meditation daily.

Maintain a healthy BMI. Adopt a healthy diet - high in vegetables (esp green leafy ones) & fruits and low in carbs, sweets, salts and fats. Eat more proteins & whole grains (atta) and reduce refined carbohydrates (maida). Include some nuts and seeds in your diet. Ensure you eat foods rich in vitamins and minerals - citrus fruits (orange, lemon, and sweet-lime), yoghurt/curd, turmeric, green vegetables, beetroot and pomegranate, sesame seeds, flax seeds, nuts, raisins and dates. Avoid full-fat milk and full-fat dairy products to the extent possible. Minimize processed, deep-fried and junk food. Drink at least 8 to 10 glasses of water per day. Remember you can eat what you like but moderation/balance is the key.



Exercise regularly, at least 45 mins of mild exercise every day and preferably 150 minutes of

cardiovascular exercise per week. Create daily routines with adequate (7-9 hours) of sleep at

appropriate hours. Try to follow the sun, rise early and do not sleep too late. Avoid screen time before

sleeping and try to keep a min 3-hour gap between your dinner-time and sleep-time.

Take care of your mental health at home and the workplace. Be open to talking, about any issue you may have, to your close family members and friends. Practice deep breathing exercises and guided or self-meditation daily. Schedule a few minutes of daily fun time for your hobbies - listening to music, singing, gardening, going for nature walks or playing with pets and spend some happy time with your family & friends.

Increase your exposure to the sun- take walks or perform your daily aerobic exercises outdoors in the mornings. Increase consumption of milk and dairy products but make sure it is not full fat. Vitamin D supplements, with or without calcium are also safe to take after consultation with a physician.

Limit the number of your sexual partners. Always practise safe sex - use condoms.

Get your Bone Density, Ca and Vit B 12, D tests done every two years.

Vitamin D and calcium supplements can be started after consulting a doctor. If you have been taking steroid therapy for a long time, disclose and discuss the same with your doctor.

Always get unexplained bleeding/excessive bleeding from small wounds or during periods examined by a doctor.

Educate yourself and your family about the signs of breast cancer and learn to detect



them - the best way is to perform a self-breast examination every month, just after your periods. You should get your breast checked by a physician every year. If you are taking or have been advised to take oral contraceptive pills or hormone replacement therapy, discuss the risks vs benefits of the same with your doctor.

Certain families have a gene mutation which increases the risk of getting breast cancer. Please take Smaarogya's screening test to evaluate if you should get tested for BRCA gene mutation.

Get VIA cervix screening done by your gynaecologist every year.

Get screened for cervical cancer by taking a PAP Smear test every 3 years.

Get screened for cervical cancer by taking HPV testing along with PAP smear test every 6 years.
